

FIG. 1A




FIG. 1B

200




FIG. 2

000000-000000




FIG. 3A




FIG. 3B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

LIGHTSURF TECHNOLOGIES, INC.
LS/0001.02
SHEET 6 OF 18



FIG. 3C

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		



JPEG
COMPRESSION
(32:1)

FIG. 3F



WAVELET
TRANSFORM
COMPRESSION
(32:1)

FIG. 3G

00000-00000-00000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 4A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

RECEIVE COMPRESSED
LUMINOSITY RECORD
FROM DIGITAL CAMERA




FIG. 4B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

00000-10000000




FIG. 5A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

000000-000000

550




FIG. 5B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

600




FIG. 6A

650




FIG. 6B




FIG. 7

